

LANBON[®]



Digital Villa video Doorbell

RJ45 interface, using SIP protocol, support IC card access control, only a network cable is needed between the outdoor and the indoor unit, which can be powered directly by the network cable through the indoor unit



Nighttime fill light



Full duplex intercom



HD camera



IC access card





Digital Villa Video Doorbell

Add technology elements to your life





HD Camera

1.3MP HD digital camera with night light is still clear even at night





Automatic night light

Automatic night light at night, also clearly visible at night



Day



Night



IC access card


Support IC access control card, high security and
easy to add or delete





Two-way voice call

Full duplex intercom, noise suppression function
and clear intercom sound



Ok, open the door !



Waterproof function

Comes with a zinc alloy material rainproof shell, strong and durable outdoor rain double protection for longer use.



Prevent bask in



Rain





Guard against theft



Support various locks

Support electromagnetic lock and electric control lock, can set the unlock time, can use the door machine to power the lock or power the lock separately






Applicable scene

Can be widely used in residences, schools, hotels, community entrances and exits and other places.





Installation diagram





Product parameters



Product parameters

Model:	L8-PMG2
Size:	134mm*59mm*39mm
Weight:	0.5KG
Working voltage:	DC12V
Video resolution:	720P
Camera Type:	CMOS
Fill light type:	LED white light
Interface type:	RJ45
Support POE:	No(Support power supply from indoor unit through network cable)
Operating system:	OpenRTOS
Communication protocol:	SIP
Access control IC card:	Support
Access card type:	IC card
Working temperature:	-20-50
Working humidity:	90%